

Out this month — August

Fish to look for in and around Dumfries · 33 species

☐		Arctic Charr <i>Salvelinus alpinus</i>	An ice-age relic marooned in deep, cold lochs when the glaciers left — and each loch's fish are their own.
☐		Atlantic Salmon <i>Salmo salar</i>	Leaves the Nith as a fish the length of your hand and comes back years later from Greenland.
☐		Brook Lamprey <i>Lampetra planeri</i>	Spends its whole life in one burn, never feeds as an adult, and dies within weeks of spawning.
☐		Brown Trout <i>Salmo trutta</i>	A native river fish that shelters in gravel-bed pools of the Nith and its burns.
☐		Bullhead <i>Cottus gobio</i>	All head and no tail, wedged under a stone — and the male guards the eggs himself.
☐		Chub <i>Squalius cephalus</i>	Big-mouthed, thick-set and famously wary — it will eat almost anything that falls in.
☐		Common Bream <i>Abramis brama</i>	Deep, slab-sided and bronze, and coated in a slime that comes off on everything.
☐		Common Carp <i>Cyprinus carpio</i>	Farmed by monks, moved around Europe for centuries, and capable of living for decades.
☐		Common Dab <i>Limanda limanda</i>	Rough as sandpaper to the touch, with a sharp kink in the lateral line above the pectoral fin.
☐		Common Goby <i>Pomatoschistus microps</i>	The tiny fish in the rockpool that vanishes the instant your shadow falls on it.
☐		Dace <i>Leuciscus leuciscus</i>	A slim silver dart of the fast water, with concave fins and a yellow eye.
☐		Eel <i>Anguilla anguilla</i>	Every eel in the Nith was born in the Sargasso Sea, and every one will go back there to die.
☐		Flounder <i>Platichthys flesus</i>	The flatfish that comes up the river — you can catch one in fresh water miles from the sea.
☐		Grayling <i>Thymallus thymallus</i>	'The lady of the stream' — and that huge sail of a dorsal fin is unmistakable.
☐		Gudgeon <i>Gobio gobio</i>	A small bottom-hugging fish with a barbel at each corner of the mouth and a row of dark blotches.
☐		Minnow <i>Phoxinus phoxinus</i>	The shoal of little fish darting over gravel in the shallows — and the males turn scarlet in May.

☐		Nine-spined Stickleback <i>Pungitius pungitius</i>	Slimmer and shyer than its three-spined cousin, and the breeding male goes black, not red.
☐		Perch <i>Perca fluviatilis</i>	Tiger-striped, red-finned and spiky-backed — one of the handsomest fish in the region's lochs.
☐		Plaice <i>Pleuronectes platessa</i>	The orange spots give it away — the only Solway flatfish marked quite like that.
☐		Rainbow Trout <i>Oncorhynchus mykiss</i>	A North American Pacific fish, stocked into fisheries here and almost never breeding wild.
☐		River Lamprey <i>Lampetra fluviatilis</i>	A jawless fish older than dinosaurs, with a rasping sucker instead of a mouth.
☐		Roach <i>Rutilus rutilus</i>	Red eye, reddish fins, silver flank — the fish that taught most anglers to fish.
☐		Rudd <i>Scardinius erythrophthalmus</i>	Golden-flanked with blood-red fins, and an upturned mouth built for feeding at the surface.
☐		Sand Eel <i>Ammodytes tobianus</i>	Dives into wet sand to hide — and half the seabirds in the Solway depend on it.
☐		Sand Goby <i>Pomatoschistus minutus</i>	Almost invisible against clean sand — and a critical link in the estuary food chain.
☐		Sea Bass <i>Dicentrarchus labrax</i>	Silver, spiky-finned and pushing steadily further north as the sea warms.
☐		Sea Lamprey <i>Petromyzon marinus</i>	The largest of our lampreys, marbled like old stone, and a sight that stops people mid-walk.
☐		Sea Trout <i>Salmo trutta</i>	The same species as the brown trout — it simply chose to go to sea and came back bigger.
☐		Stone Loach <i>Barbatula barbatula</i>	Six barbels around the mouth, and a habit of spending the entire day underneath a stone.
☐		Tench <i>Tinca tinca</i>	Olive-green, thick-set and red-eyed, with fins so rounded they look padded.
☐		Thick-lipped Grey Mullet <i>Chelon labrosus</i>	Grazes algae off harbour walls, and is notoriously difficult to persuade to take a bait.
☐		Three-spined Stickleback <i>Gasterosteus aculeatus</i>	The fish everyone catches first — and one of the most studied animals in all of biology.
☐		Whiting <i>Merlangius merlangus</i>	A slimmer cod relative with no chin barbel and a black smudge at the base of the pectoral fin.

Photograph credits

Photo by Alison Copeland, CC BY 4.0, via Wikimedia Commons

Public domain, via Wikimedia Commons

Photo by Ra Boe, CC BY-SA 3.0, via Wikimedia Commons

Photo by Woluhar, CC BY-SA 3.0, via Wikimedia Commons

Photo by George Chernilevsky, CC BY-SA 3.0, via Wikimedia Commons

Photo by Hans Hillewaert, CC BY-SA 4.0, via Wikimedia Commons

Photo by Ove Glenjen, CC BY-SA 3.0, via Wikimedia Commons

Photo by David Perez, CC BY 3.0, via Wikimedia Commons

Photo by Orjatar, CC BY-SA 3.0, via Wikimedia Commons

Photo by Viridiflavus, CC BY-SA 3.0, via Wikimedia Commons

Photo by Wolfgang Moroder, CC BY-SA 3.0, via Wikimedia Commons

Photo by Dellex, CC BY-SA 3.0, via Wikimedia Commons

Photo by Tiit Hunt, CC BY-SA 3.0, via Wikimedia Commons

Photo by Yuriy Kvach, CC BY-SA 3.0, via Wikimedia Commons

Photo by Miguel Mendez from Malahide, Ireland, CC BY 2.0, via Wikimedia Commons

Photo by Fernando Losada Rodríguez, CC BY-SA 4.0, via Wikimedia Commons

Photo by Michal Mañas, CC BY 3.0, via Wikimedia Commons

Photo by Mattia Nocciola, CC BY-SA 4.0, via Wikimedia Commons

Photo by Lorenz Seebauer, CC BY-SA 4.0, via Wikimedia Commons

Photo by Georges Jansoone (JoJan), CC BY 3.0, via Wikimedia Commons

Nature on your doorstep / Dumfries — part of Love Dumfries · lovedumfries.co.uk/nature